

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/079,234	05/28/2002	Manfred Kopl	2400-422A	7673	
27820 7	7590 07/15/2003				
WITHROW &	& TERRANOVA, P.I	L.L.C.	EXAMI	NER	
P.O. BOX 128 CARY, NC 2			BOMBERG,	ERG, KENNETH	
			ART UNIT	PAPER NUMBER	
			3754	, 1	
			DATE MAILED: 07/15/2003	12	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
•		10/079,234	KOPL ET AL.				
	Office Action Summary	Examiner	Art Unit				
		Kenneth Bomberg	3754				
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status							
1)⊠	Responsive to communication(s) filed on <u>05 J</u>	lune 2003 .					
2a)☐	•	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims						
4)🖂	Claim(s) 11-20 is/are pending in the application	n.					
4	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) 🗌	Claim(s) is/are allowed.						
6)⊠	Claim(s) <u>11-20</u> is/are rejected.						
7)	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement. Application Papers							
9) The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>19 February 2002</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
_	nder 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)[☐ All b) ☐ Some * c) ☐ None of:						
	1. Certified copies of the priority documents						
	2. Certified copies of the priority documents						
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
	14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) ☐ The translation of the foreign language provisional application has been received. 15) ☑ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4) Interview Summary (PTO-413) Paper No(s) 5) Notice of Informal Patent Application (PTO-152) 6) Other:							
J.S. Patent and Tr	ademark Office						

Application/Control Number: 10/079,234

Art Unit: 3754

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the downstream valves each being within one of the two or more nozzles according to claim 19 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 3. Claims 11-20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Specifically, claims 11 and 19 booth contain the requirements "wherein no additional valves are located between said liquid measuring device and said two or more nozzles to control flow of fuel from said liquid measuring device to said two or more nozzles" and "wherein no

Application/Control Number: 10/079,234 Page 3

Art Unit: 3754

additional valves are needed to control flow of said fuel between said liquid measuring device and said two or more nozzles" which are not supported by the specification as originally filed.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 11-13 and 15-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over NANAJI (5,630,528) in view of KOPL et al. (5,447,062).

In Fig. 3, NANAJI shows a device for metered transfer of two or more liquids from respective supply tanks (1,2,3) by respective pumps (21,22,23) to respective liquid dispensers (61,62,63), a common liquid measuring device (90), two or more upstream valves (101,102, 103) and two or more downstream valves (111,112, 113) substantially according to claim 1 but does not show the meter being in the form of a screw spindle arrangement according to the claim. NANAJI further explicitly states:

"The embodiment of FIG. 3 advantageously could use a electronically-calibrated or self-calibrating inferential meter, or any other type of meter which is of small size and weight and which does not require manual calibration."

KOPL et al. teaches to provide meter being in the form of a screw spindle arrangement in order to provide a simple meter construction which is less susceptible to faults.

Application/Control Number: 10/079,234

Art Unit: 3754

It would have been obvious to one having ordinary skill in the art to have used the meter in the form of a screw spindle arrangement of KOPL et al. in the device for metered transfer of several liquids of NANAII in order to provide a simple meter construction which is less susceptible to faults as taught by KOPL et al.

Page 4

With respect to the limitation "wherein no additional valves are located between said liquid measuring device and said two or more nozzles to control flow of fuel from said liquid measuring device to said two or more nozzles", NANAJI, the primary reference is silent with respect to this limitation. However, as NANAJI fails to disclose the necessity of additional valves, it would have been obvious to one having ordinary skill in the art at the time of the invention to have omitted any such valves in order to improve system reliability by omitting any unnecessary additional components.

In reference to claims 12

The examiner takes official notice that forming two or more valves in a common valve block is well known in the dispensing art. NANAJI does not explicitly teach the use of multi valve blocks. It would have been obvious to one having ordinary skill in the art to have incorporated the use of the well know multi valve block in to the valves (101-103 and 111-113) of the device of NANAJI and KOPL et al. in order to simplify the required control circuit logic as is well known in the fluid dispensing art.

In reference to claims 13 and 15

The valves (101-103) and (111-113) of NANAJI are disclosed as being functionally interconnected in pairs. Specifically NANAJI teaches:

Application/Control Number: 10/079,234 Page 5

Art Unit: 3754

"Operation of the put-down switch or lever causes the controlling device 200 to send signals to the valves 101, 102, 103, 111, 112, 113 to open and close the appropriate valves. Thus, operation of the put-down switch or lever in boot 73 sends a signal to the controlling device 200 that fuel from fuel source 3 is to be dispensed out nozzle 63. As a result, the controlling device 200 closes valves 101, 102, 111, 112 and opens valves 103, 113. Activation by the operator of actuating lever 83 commences fuel dispensing from nozzle 63."

In reference to claim 16

Note the quote from NANAJI with respect to claims 13 and 15. Only a single set of valves leading to a single nozzle may be actuated at one time.

In Reference to Claims 17 and 18

NANAJI explicitly teaches:

The meter can advantageously be located near the dispensing nozzles, so that the contamination caused by using a single meter is purged after a small amount of fuel is dispensed. The invention preferably uses a small-volume meter with valves located near the meter, to thereby limit the amount of octane variation caused by use of a single meter.

It therefor would have been obvious to one having ordinary skill in the art to have selected the volume of the meter device in the claimed range in order to satisfy the above explicit teaching of NANAJI. The particular volume selected being a design choice based on permissible amounts octane variation.

Application/Control Number: 10/079,234 Page 6

Art Unit: 3754

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth Bomberg whose telephone number is (703) 308-2179. The examiner can normally be reached on Monday-Thursday from 9:30 AM - 7:00 PM. The examiner can also be reached on alternate Fridays.

The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9302 for regular communications and 703-872-9303 for After Final communications.

KENNETH BOMBERG PRIMARY EXAMINER ART UNIT 3754

K.B. July 14, 2003